

PRODUCT-DETAILS

# IB132-Y

## IB132-Y Enclosure



### General Information

Extended Product Type	IB132-Y
Product ID	1SAM201911R1011
EAN	4013614421624
Catalog Description	IB132-Y Enclosure
Long Description	IB132-Y enclosure is suitable for manual motor starter MS116/MS132. The combination of manual motor starter and enclosure allows to setup all required control and protection functions for single machine installations. The enclosure has a IP65 degree of protection. Additional mounting of auxiliary and signalling contacts, shunt trips and undervoltage release is possible. The handle is up to 3-times lockable in OFF position.

### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

### Popular Downloads

Data Sheet, Technical Information	1SBC100173C0201
Instructions and Manuals	2CDC131028M6805
Dimension Diagram	1SAM200441F0001

## Dimensions

Product Net Width	120 mm
Product Net Height	120 mm
Product Net Depth / Length	195 mm
Product Net Weight	0.37 kg

## Technical

Contact Position Indication	ON / OFF / TRIP
Actuator Type	Rotary Handle
Color	Yellow / Red
Degree of Protection	IP65
Standards	CSA 22.2 No. 14 IEC/EN 60947-1 IEC/EN 60947-4-1 UL 508
Product Name	Enclosure
Suitable For	MS116 MS132
Suitable for Product Class	Manual Motor Starter
Accessory Group	Mechanical
Accessory Type	Enclosure
Remarks	For detailed specification see installation instruction

## Technical UL/CSA

Enclosure Type UL/CSA	12
-----------------------	----

## Environmental

Ambient Air Temperature	Operation 0 ... +40 °C Storage -50 ... +80 °C
RoHS Status	Following EU Directive 2011/65/EU

## Certificates and Declarations (Document Number)

cUL Certificate	cUL_E137861
Declaration of Conformity - CE	1SAD938504-0196 1SAD938506-0197 1SAD938508-0188 1SAD938509-0183 1SAD938516-0125 1SAD938522-0060
Declaration of Conformity - UKCA	1SAD938500-1060
GOST Certificate	1SAA937000-2703
Instructions and Manuals	2CDC131028M6805
RoHS Information	1SAD938504-0196 1SAD938506-0197 1SAD938508-0188 1SAD938509-0183 1SAD938516-0125 1SAD938522-0060
UL Certificate	UL_E137861

---

## Container Information

---

Package Level 1 Width	129 mm
Package Level 1 Depth / Length	129 mm
Package Level 1 Height	141 mm
Package Level 1 Gross Weight	0.435 kg
Package Level 1 EAN	4013614421624
Package Level 1 Units	box 1 piece

---



---

## Classifications

---

ETIM 4	EC002498 - Accessories for low-voltage switch technology
ETIM 5	EC000712 - Empty enclosure for switchgear
ETIM 6	EC000712 - Empty enclosure for switchgear
ETIM 7	EC000712 - Empty enclosure for switchgear
eClass	V11.0 : 27371301
UNSPSC	39121334
IDEA Granular Category Code (IGCC)	4492 >> Modular electrical enclosure
E-Number (Finland)	3705860
E-Number (Sweden)	3112074

---



---

## Categories

---

Low Voltage Products and Systems → Control Products → Manual Motor Starters → Manual Motor Starters Accessories

